BIE FILE COPY

Naval Submarine Medical Research Laboratory

NSRML REPORT 1142

23 JUNE 1989



AD-A211 253







PRELIMINARY REPORT ON CLASSIFICATION OF TRANSIENT SONAR SIGNALS

by

Thomas E. Hanna

Office of Naval Research
Research Work Unit 61153N - RR4209.001-0NR 442407

S ELECTE AUG 14 1989

Released by:

C. A. Harvey, CAPT, MC, USN Commanding Officer

Approved for public release; distribution unlimited

PRELIMINARY REPORT ON CLASSIFICATION OF TRANSIENT SONAR SIGNALS

by

Thomas E. Hanna

NAVAL SUBMARINE MEDICAL RESEARCH LABORATORY

REPORT NUMBER 1142

Office of Naval Research
Research Work Unit 61153N - RR4209.001-ONR 442407

Approved and Released by:

C. A. HARVEY, CAPT, MC, USN
Commanding Officer
NavSubMedRschlab

Approved for public release; distribution unlimited

SECURITY CLASSIFICATION OF THIS PAGE

REP	ORT D	OCUMENTATIO	N PAGE				Approved No 0704-0188
ta REPORT SECURITY CLASSIFICATION Unclassified			16 RESTRICTIVE	MARKINGS			
2a SECURITY CLASSIFICATION AUTHORIT	TY	·	<i></i>	I/AVAILABILITY OF	REPORT		
N/A			Approved fo	or public re	lease;	dist	ribution
26 DECLASSIFICATION DOWNGRADING N/A	SCHEDUL	٤	unlimited.	•			
4 PERFORMING ORGANIZATION REPORT	NUMBER	R(S)	5 MONITORING	ORGANIZATION RE	PORT NU	MBER(S)	
NSMRL Report #1142			Same				
6a NAME OF PERFORMING ORGANIZATI Naval Submarine Medical	ION	6b OFFICE SYMBOL (If applicable)		ONITORING ORGAN			
Research Laboratory		(iii applicable)		davai keseai	CII		
6c ADDRESS (City, State, and ZIP Code)			75 ADDRESS (Ci	ty, State, and ZIP C	ode)		
Naval Submarine Base New		and Neural S		es Div	ision		
Groton, CT 06349-5900			Arlington,	VA 22217-5	000		
Ba NAME OF FUNDING/SPONSORING		86 OFFICE SYMBOL	9 PROCHOSMSM	T INSTRUMENT IDE	MILEICAT	ION MILIN	ARER
ORGANIZATION	1	(If applicable)	, NOCOREMEN		(14 (1) ((44)	-0.4 14011	
Office of Naval Research		Code 1142PS	N00014-88-V	√R-24003			
8c ADDRESS (City, State, and ZIP Code)			10 SOURCE OF	FUNDING NUMBER			
800 N. Quincy street			PROGRAM ELEMENT NO	PROJECT NO	TASK NO		WORK UNIT ACCESSION NO.
Arlington, VA 22217 5000	Arlington, VA 22217 3000			RR04209			R&T4424207
11 TITLE (Include Security Classification)				1			
(U) Preliminary report of	n clas	sification of	transient so	onar signals			
				 			
12 PERSONAL AUTHOR(S) Thomas E. Hanna							ı
	TIME CO	VERED	14 DATE OF REPO	ORT (Year, Month,	Day) 15	PAGE C	OUNT
Memorandum FR	ом <u>88/</u>	10/01 ⁻ 0 90/03/3					
16 SUPPLEMENTARY NOTATION						_	
17 COSATI CODES		18 SUBJECT TERMS (Continue on reven	se if necessary and	<i>identify</i>	hy black	number)
FIELD GROUP SUB-GRO	OUP			-			
		sonar transie	ception; psychoacoustics; classification;				
19 ABSTRACT Continue on reverse if no							
(U) We extracted fix acoustic events. Using (
sonar operators, each of							
then measured two listens							
individually. Feedback v							
The other twenty-six sign							
generalize the category t							
Listeners performed quite							
exemplars and 88.1% corre							
patterns of errors. Fina attentional processes in							
this stimulus set and cla							
stimulus features and att							. Jerermine
20 DISTRIBUTION / AVAILABILITY OF ABS				CURITY CLASSIFICA			
UNCLASSIFIED UNLIMITED 🖾 SA		T DTIC USERS	UNCLASSI	FIED			
228 NAME OF RESPONSIBLE INDIVIDUAL				Include Area Code	1		
John J. O'Hare			(202) 696-4	502	Code	1142	PS

SUMMARY PAGE

THE PROBLEM

To develop a task and stimulus set that can be used for studying aural classification of transient sonar signals.

THE FINDINGS

We extracted fifty, one-second segments from extended recordings of underwater acoustic events. Using transcripts of the recording sessions and the judgments of two sonar operators, each of these fifty signals was put into one of eight categories. Two listeners were able to categorize these fifty signals, presented individually.

APPLICATION

These preliminary results suggest that this set of fifty signals and eight categories can be used for further testing of aural classification ability.

ADMINISTRATIVE INFORMATION

This research was conducted under Office of Naval Research Work Unit 61153N-RR4209.001-CNR4424207. It was submitted for review on 6 January 1989, approved for release on 23 June 1989, and designated as NSMRL Report No. 1142.

ABSTRACT

We extracted fifty, one-second segments from extended recordings of underwater acoustic events. Using transcripts of the recording sessions and the judgments of two sonar operators, each of these fifty signals was put into one of eight categories. Two additional listeners were tested on their ability to categorize these fifty signals when presented individually. Feedback was given for three exemplars from each of the eight categories. The other twenty-six signals were used as probe stimuli to test listeners' abilities to generalize the category to other stimuli for which they did not receive feedback. Listeners performed well on the task. They attained 98.0% correct judgments on the exemplars and 88.1% correct judgments on the probes. The two listeners showed similar patterns of errors. Finally, we report anecdotal evidence concerning the role of attentional processes in the classification of these stimuli. The results suggest that this stimulus set and classification task are appropriate for further testing to determine stimulus features and attentional processes underlying aural classification.



Acces	sion For	
NTIS	GRA&I	
DIIG	TAB	
Unam	ounced	
Justi	fication	
By Distr	ibution/	
Avai	lability	Codes
	Avail and	1/05
Dist	Specia:	l
by		

The auditory system obtains important information about the environment by classifying acoustic events into meaningful categories. However, must research on auditory processes bears only indirectly on the ability to classify acoustic signals. Traditionally, psychoaccustics has studied basic properties of the sensory system with simple tasks, such as detection or discrimination, and has used simple stimuli, such as tones and white mouse. With the exception of speech, classification studies have tended to use stimulus sets synthesized with arbitrary stimulus dimensions. The present paper is a preliminary report on the development of a classification task to be used to examine auxiltory features and processes with realistically complex signals. We report on listeners' abilities to classify a set of stimuli selected from underwater recordings of brief acoustic events. To the extent that listeners can categorize these stimuli, there are potentially important perceptual distinctions being made by the auditory system. Real-world signals have the advantage that they possess the complexity of typical auditory signals rather than the artificial structure of synthetic signals. Thus, the perceptual distinctions, or features, that the auditory system uses with these stimuli are potentially important properties of other stimuli as well.

METHOD

<u>Signals</u>. Fifty one-second segments were extracted from digitized underwater recordings of transient signals. The signal durations ranged from tens to hundreds of milliseconds and were approximately centered within the one-second sample. The recordings had been digitized at a 12.5 kHz sampling rate with 12 bits of linear encoding of amplitude. A preliminary classification of the fifty events into eight categories was performed based on transcripts of the recording sessions and in consultation with two sonar operators who listened to the recordings in their original context (prior to extraction). For each of the eight categories, three exemplars were chosen that represented good-quality samples with minimal ambiguity regarding the accuracy of the classification.

Apparatus. Stimuli were presented over 16-bit digital-to-analog converters and low-pass filtered at 5 kHz. A programmable attenuator adjusted the amplitude of each signal to a comfortable listening level. An electronic switch gated the stimuli with 20-ms, sine-squared ramping. Stimuli were presented to the right earphone of a Sernheiser HD430 headset.

<u>Procedure</u>. On each trial, one stimulus was presented and the listener classified it into one of four or eight categories. Training proceeded in two phases. In the first, only the exemplars from categories one through four were presented within certain blocks and only exemplars from categories five through

eight were presented with a the other blocks. Feedback was given on every trial. These succed sets were used to facilitate the learning of category labels. After several blocks of trials with each set, a second phase of training was started where exemplars from all eight categories were mixed within a block of 72 trials. Feedback was again given on every trial. After listeners attained essentially perfect performance on this task, the test phase of the experiment began. Each of the fifty stimuli was presented once within a block of firty trials. If an exemplar was presented, feedback was given. However, if the stimulus was one of the twenty-six stimuli that was not an exemplar (such stimuli will be called probe stimuli), no feedback was given. Twenty-four blocks of trials were collected during the test phase. These blocks were run over three days. One practice block with only the exemplar signals was run at the beginning of each day.

<u>Listeners</u>. Two laboratory personnel, one of whom was the author, served as listeners. Each had normal hearing sensitivity (less than 15 dB HL at octave frequencies from 250 to 8000 Hz). Both had been involved in the stimulus preparation and were very familiar with the signals prior to testing.

RESULTS

After fewer than 500 practice trials, both listeners were at essentially 100% correct classification of the 24 exemplars into the eight categories. Naive listeners would presumably require more training time. Table I shows the confusion matrix for the 24 exemplars from the practice blocks that contained all eight categories (including the practice block collected prior to the test blocks on each day). The first listener made too few errors to show any consistent pattern of confusions. The second listener's data show a more definite pattern. Her confusions tend towards two groupings. Confusions exist among the stimulus categories 1, 2, 3, and 7 as one grouping and among categories 4, 6, and 8 as a second grouping. In fact, confusions for the first listener are generally consistent with this pattern. This consistency suggests that the stimuli are perceived and categorized similarly for the two listeners albeit more reliably by the first listener.

Table I

Confusion matrix for the practice blocks. Each entry represents the number of times a listener gave a particular response to a particular stimulus.

Listener 1:

				Resp	onse			
	1	2	3	4	5	6	7	8
Stimulus								
1	72	-	-	-	-	-	-	-
2	-	68	2		-		2	***
3	-	1	71	-	-	~	-	_
4	-	-	_	71	-	-	1	-
5	-	-	-	-	72	-	-	-
6	_	-	-	ı	-	70	-	1
7	1	-	-	-	-	-	71	-
8	-	-	-	-	-	-	-	72

Listener 2:

				Resp	oonse			
	1	2	3	4	5	6	7	8
Stimulus								
1	69	-	3	-	-	-	-	-
2	1	64	4	-	-		3	-
3	1	7	64	-	-•	-	-	~
4	-	-	-	70	•	2	-	-
5	-	-	-	-	72	-	-	-
6	-	-	-	-	-	68	_	4
7	-	2	-	-	-	_	70	-
8	_	_	_	-	-	4	-	68

Table II shows the confusion matrix for the 24 exemplars from the test phase. Of course, both listeners had fewer confusions than during the practice sessions, but those that were made are generally consistent with the pattern from the practice sessions. The second listener's confusions are among categories 1, 2, 3, and 7 or among 4, 6, and 8. The first listener had only five confusions out of almost 600 trials, too few to evaluate a pattern.

Table II

Confusion matrix for the exemplars from the test blocks. Each entry represents the number of times a listener gave a particular response to a particular stimulus.

Listener 1:

				Res	ponse			
	1	2	3	4	5	6	7	8
Stimulus								
1	72	-	-	-	_	-	-	-
2	-	70	1	-	-	-	1	••
3	_	1	71	-	-	-	_	-
4	-	-	-	71	-	-	1	-
5	-	-	-	-	72	-	-	-
6	-	-	-	-	-	71	1	-
7	-	-	-	-	_	-	72	-
8	-	_	_	_	_	_		72

Listener 2:

				Resp	ponse			
	1	2	3	4	5	6	7	8
Stimulus								
1	72	_	-	-	-	-	~	-
2	2	69	-	_	-	-	1	-
3	-	4	68	-	-	~	-	-
4	-	-	~	72	_	-	-	-
5	-	-	~	-	72	-	-	-
6	-	-	-	-	-	72	-	-
7	~	-	-	-	-	-	72	-
8	~	_	_	2	-	9	-	61

Listeners were also able to consistently classify the probe stimuli although not with the same reliability as for the exemplars. For twenty-three out of twenty-six stimuli, both listeners had the same modal response, i.e., the most common response was the same. For fifteen of the stimuli, the modal response represents more than 95% of the responses. For 19 of the stimuli, the modal response represents at least 85% of the responses. Five of the seven stimuli that had fewer than 85% of their responses in a single category were poor stimuli in that either 1) an extraneous event was included in the 1-sec sample, 2) the preliminary classification of the event was ambiguous, or 3) the original recording was muffled. Nonetheless, the modal response agreed with the preliminary classification of each probe except for those three stimuli where the modal response was different for the two listeners, in which case one listener's modal response differed from the preliminary classification.

Table IIIa

Confusion matrix for the probe stimuli from the test blocks. Each entry represents the number of times a listener gave a particular response to a particular stimulus.

Listener 1:

				Res	ponse			
	1	2	3	4	5	6	7	8
Stimulus								
1	48	-	-	-		-		-
2	-	40	7	-	-	-	1	-
3	-	1	118	-	-	-	-	1
4	-	-	-	98	-	6	-	16
5	_	-	-	-	-	-	-	-
6	_	-	-	-	-	119	-	25
7	-	-	-	-	-	~	48	-
8	-	. •		_	-	-	-	96

Listener 2:

				Resp	onse			
	1	2	3	4	5	6	7	8
Stimulus								
1	47	1	-	-	-	-	-	-
2	-	40	8	-	_	-	-	-
3	-	6	96	-	-	17	-	ı
4	-		-	104	-	14	-	2
5	-	-	-	-	-	-	-	-
6	-	_	-	15	-	120	-	9
7	-	3	-	6	-	-	39	-
8	_	_	-	_	_	10	_	86

Table IIIa shows the confusion matrix for each listener for the probe stimuli. Once again, the first listener classified the stimuli more reliably than the second. Although many of the confusions are consistent with those made with the exemplars, many are not. Most of these new confusions are due to the 5 stimuli that might be considered poor stimuli based on the criteria discussed in the previous paragraph. Table IIIb shows the confusion matrix when these five stimuli are excluded from the analysis. With one exception, the most common confusions are between categories 1, 2, 3, and 7 as one grouping and among categories 4, 6, and 8 as a separate grouping. These confusions are the same as those found with the exemplars. The exception is that each listener once responded category 8 to a category 3 stimulus. Many of the confusions are a response of category 6 or 8 to a category 4 stimulus. In summary, classification of the probes is quite good, with minor exceptions probably due to the quality of original signals. Listeners' classifications agree with those based on prior listening in a fuller context using recording transcripts. Furthermore, the pattern of confusions is similar for exemplars and probes.

Table IIIb

Confusion matrix for the probe stimuli from the test blocks. Five stimuli have been excluded from the analysis. Each entry represents the number of times a listener gave a particular response to a particular stimulus.

Listener 1:

					Respo	onse			
		1	2	3	4	5	6	7	8
Stimu	ılus								
	1	48	-	-	-	-	-	~	_
	2	-	22	1	-	-	-	1	-
	3		-	71	~	-	-	-	1
	4	-	-	-	98	-	6	-	16
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	119	-	1
	7	-	-	-	-	-	-	24	-
	8	-	-	-	-	-	-	-	96
Listener	2:				Respo	onse			
Listener	2:	1	2	3	Respo	onse 5	6	7	8
Listener Stimm		1	2	3		onse 5	6	7	8
	ılus 1	1	1	3 -		onse 5	6	7 -	8 -
	ilus 1 2			3 - 4		onse 5 -	6	7	8 -
	ilus 1 2 3		1	_		onse 5 - -	6	7	8 1
	lus 1 2 3		1	-		onse 5 - -	6 14	7	- -
	lus 1 2 3 4		1	-	4 - -	onse 5 - - -	-	7	- - 1
	lus 1 2 3 4 5		1	-	4 - -	onse 5 - - - -	-	7	- - 1
	lus 1 2 3 4 5 6 7		1	-	4 - - - 104	onse 5	- - 14	7	- 1 2 - 9 -
	lus 1 2 3 4 5		1	-	4 - - - 104	onse 5	- - 14	-	- 1 2

DISCUSSION

The results are encouraging in that the task and stimuli seem appropriate for further testing of aural classification ability. Listeners learned to categorize stimuli when feedback was given, and this learning generalized to probe stimuli for which no feedback was given (in the experimental setting). Although some skepticism is warranted because of the listeners' familiarity with the signals prior to cesting, it should be noted that the listeners were generally unaware of whether a particular stimulus was an exemplar or probe until after feedback was (or was not) given. Thus, it is unlikely that the listeners used a separate strategy for the probe stimuli based on remembered classifications of them. It is still possible however, that, due to their prior experience, the listeners learned more general categories than would be learned by a naive listener who would only learn the categories from the exemplars. It is certainly to be expected that naive listeners will require much more training than required for the listeners in this experiment. It is also possible that learning may be facilitated by grouping the confusable stimuli during the initial training phase. That is, stimuli 1, 2, 3, and 7 could be used as one set and 4, 5, 6, and 8 in another rather than 1-4 and 5-8 as was done in this experiment.

Several other observations are noteworthy concerning attentional processes that facilitate classification of these signal events. First, the one-second stimulus duration was chosen as a minimal duration which allowed a clear perception of the event. With briefer durations the stimuli were more difficult to hear, possibly because of the proximity of the onset or offset to the event. For some stimuli, the percept was noticeably less clear when the onset was less than 300 msec from the event. Second, the signal events were often much clearer in the 1-sec presentation than when presented in the full context of an ongoing stream of information. This observation held even when the full context of 8-25 sec was played repeatedly and the listener could attend to the specific event. Whether this effect is due to temporal uncertainty or the competing presence of other perceptual information is unclear. This effect presumably reflects the processing time required for classification in combination with memory limitations on the amount of sensory information that can be stored in preprocessed/precategorized form. Finally, a form of automaticity develops for the categorization of these events. Classification becomes less effortful and less conscious. In fact, after repeated exposure to these sounds, nonexperimental sounds occurring in the normal environment seemed to grab the listener's attention rather than being perceived incidentally. Although anecdotal, these observations bear on the complexity of the classification process and attentional mechanisms that determine the salience of particular information.

CONCLUSIONS

Listeners could accurately classify a set of 50 brief sonar signals. Even for stimuli where no feedback was given, accuracy was generally good and the errors that were made were similar to those made on stimuli with feedback. The results when no feedback was given suggest that listeners learn a perceptual category rather than merely developing the ability to assign responses to individual stimuli. Thus, these preliminary results are encouraging in indicating that this stimulus set and classification task can be used to study aural classification with real acoustic signals. Future experiments can manipulate these signals to identify the importance of particular stimulus information and can modify the task to examine attentional factors.

The present results will be incorporated into a technical report evaluating the importance of envelope cues for aural classification.

ACKNOWLEDGMENTS

This research was supported by the Perceptual Sciences Program of the Office of Naval Research. I thank Roy Tozier, John Martins, and Sue Keegan of the Naval Underwater Sound Command, New London, for providing the original recordings and consultation; Tom Santoro and Lee Shapiro for writing signal-editing and experimental programs; Cindy Mitchell for helping to edit the signals that were used and for participating as a listener in the experiment; and Drs. Saul Luria, Tom Santoro, and Jerry Tobias for comments on drafts of the manuscript.

Technical Reports Distribution List

Dr. Earl A. Alluisi OUSDR (A)/R&A(E&LS) Pentagon 3D129 Washington, DC 20301-3080

Prof. James A. Ballas Department of Psychology George Mason University 4400 University Drive Fairfax, VA 22030

Dr. Harold E. Bamford Program Director, Div. Info. Robotics & Intell. Systems National Science Foundation 1800 G Street, N.W. Washington, DC 20550

Mr. Charles Bates Director, HE Division USAF AAMRI/HE WPAFB, OH 45433

Dr. Kenneth R. Boff AAMRL/HE WPAFB, OH 45433

CDR Robert C. Carter, USN Naval Research Laboratory Head, HCI Laboratory Washington, DC 20375-5000

Dr. Stanley C. Collyer Office of Naval Technology Code 222 800 N. Quincy St. Arlington, VA 22217-5000

Defense Tech. Info. Center Cameron Station, Bldg. 5 Alexandria, VA 22314 (2 copies) Dr. Alfred R. Fregly AF Office of Sci. Res. Life Sciences Directorate Bldg. 410 Bolling AFB, DC 20332-6448

Mr. Jeffrey Grossman Naval Ocean Systems Center Code 4403, Bldg. 334 San Diego, CA 92152

Prof. James H. Howard, Jr. Department of Psychology Human Performance Lab Catholic University Washington, DC 20064

Dr. Edgar M. Johnson Technical Director US Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333-5600

CAPT T. E. Jones, MSC, USN Aviation Medicine & Human Performance (Code 404) NMRDC, NMC NCR Bethesda, MD 20814-5044

Dr. Michael Kaplan Director, Office Basic Res. US Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333-5600

Dr. Richard Loutitt
National Science Foundation
Division of Behavioral &
Neural Sciences
1800 G Street, N.W.
Washington, DC 20550

CAPT William Moroney, USN Naval Air Development Ctr. Code 602 Warminster, PA 18974 Dr. Robert A. Fleming Naval Ocean Systems Center Human Factors Support Grp. 1411 South Fern Street Arlington, VA 22202-2896

Naval Aerospace Medical Research Laboratory Sensory Division, Code 23 Pensacola, FL 32508

Commanding Officer Naval Air Systems Command Crew Station Design NAVAIR 5313 Washington, DC 20361

Commanding Officer Navy Personnel R&D Center San Diego, CA 92152-6800

Director Technical Information Div. Code 2627 Naval Research Laboratory Washington, DC 20375-5000

US Naval Test Center Aircrew Systems Branch Systems Engineering Test Directorate Patument River, MD 20670

Commanding Officer Naval Weapons Center Human Factors Branch Code 3152 China Lake, CA 93555

Dr. Michael Letsky Office of the Chief of Naval Operations OP-01B7 Washirgton, DC 20350 Dean of the Academic Dept. U.S. Naval Academy Annapolis, MD 21402-5018

Office of Naval Research Perceptual Science Program Code 1142PS 800 N. Quincy Street Arlington, VA 22217-5000 (3 copies)

LT Dennis McBride, USN Pacific Missile Test Center Human Factors Branch Pt. Mugu, CA 93042

Dr. W. A. Rizzo Head, Human Factors Div. Naval Training Systems Ctr. 12350 Research Parkway Orlando, FL 32826-3224

Prof. James A. Simmons Department of Psychology Brown University Providence, RI 02912

Dr. H. Wallace Sinaiko
Manpower Research &
Advisory Services
Smithsonian Institution
801 N. Pitt St., Suite 120
Alexandria, VA 22314-1713

Mr. James G. Smith Office of Naval Research Code 121 800 N. Quincy Street Arlington, VA 22217-5000

CDR S. Snyder Office of Naval Technology Code 222 800 N. Quincy Street Arlington, VA 22217-5000 Office of the Chief of Naval Operations OP-933D3 Washington, DC 20350-2000

Office of Naval Research Special Asst. for Marine Corps Matters Code 00MC 800 N. Quincy Street Arlington, VA 22217-5000

Dr. John Weisz Technical Director US Army Human Engineering Laboratory Aberdeen P. G., MD 21005 Dr. John Targney AF Office of Sci. Res. Life Sciences Directorate Bldg. 410 Bolling AFB, DC 20332-6448

Dr. Harold P. Van Cott Committee on Human Factors NAS-National Res. Council 2101 Constitution Ave., N.W. Washington, DC 20418

Prof. Christopher D. Wickens Department of Psychology University of Illinois Urbana, IL 61801